



SAYBOLT
 Gulf Coast Headquarters
 206 W. San Augustine
 Deer Park, Texas 77536

BARGE "BUFFALO 90"

INNAGE TRIM TABLE

DOWN	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN
1 PORT	+ 00-0/0	- 00-0/0	+ 00-1/8'	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00
1 STBD	+ 00-0/0	- 00-0/0	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00
2 PORT	+ 00-0/0	- 00-0/0	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00
2 STBD	+ 00-0/0	- 00-0/0	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00
3 PORT	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00-1/4	+ 00-3/8	- 00-3/8	+ 00-3/8	- 00
3 STBD	+ 00-1/8	- 00-1/8	+ 00-1/8	- 00-1/8	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00-1/4	+ 00-3/8	- 00-3/8	+ 00-3/8	- 00
4 CNTR	- 00-1/8	+ 00-1/8	- 00-1/4	+ 00-1/4	- 00-1/4	+ 00-1/4	- 00-3/8	+ 00-3/8	- 00-1/2	+ 00-1/2	- 00-5/8	+ 00

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD DRAFT = 6'-00"
 AFT DRAFT = 2'-00"
 DIFF. = 3'-00" (DOWN BY STERN)

LENGTH BETWEEN DRAFT MARKS: 162'-04"

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00 1/8".
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8".

May 26, 1999
 SAYBOLT INC.



SAYBOLT
Gulf Coast Headquarters
206 W. East Augustine
Deer Park, Texas 77536

BARGE "BUFFALO 90"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-05 1/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,229.95	0	1,353.00	0	1,476.05	0		0		0		0		0		0		0	
1/4	1,232.52	1/4	1,355.58	1/4	1,478.61	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,235.08	1/2	1,358.13	1/2	1,481.17	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,237.64	3/4	1,360.69	3/4	1,483.74	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1,240.21	1	1,363.25	1	1,486.30	1		1		1		1		1		1		1	
1/4	1,242.77	1/4	1,365.82	1/4	1,488.87	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,245.33	1/2	1,368.38	1/2	1,491.43	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,247.90	3/4	1,370.94	3/4	1,493.99	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	1,250.46	2	1,373.51	2	1,496.56	2		2		2		2		2		2		2	
1/4	1,253.02	1/4	1,376.07	1/4	1,499.12	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,255.59	1/2	1,378.63	1/2	1,501.68	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,258.15	3/4	1,381.20	3/4	1,504.25	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	1,260.71	3	1,383.76	3	1,506.81	3		3		3		3		3		3		3	
1/4	1,263.28	1/4	1,386.33	1/4	1,509.37	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,265.84	1/2	1,388.89	1/2	1,511.94	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,268.40	3/4	1,391.45	3/4	1,514.50	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	1,270.97	4	1,394.02	4	1,517.06	4		4		4		4		4		4		4	
1/4	1,273.53	1/4	1,396.58	1/4	1,519.63	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,276.09	1/2	1,399.14	1/2	1,522.19	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,278.66	3/4	1,401.71	3/4	1,524.75	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	1,281.22	5	1,404.27	5	1,527.32	5		5		5		5		5		5		5	
1/4	1,283.79	1/4	1,406.83	1/4	1,529.88	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,286.35	1/2	1,409.40	1/2	1,532.44	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,288.91	3/4	1,411.96	3/4	1,535.00	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	1,291.48	6	1,414.52	6	1,537.56	6		6		6		6		6		6		6	
1/4	1,294.04	1/4	1,417.09	1/4	1,540.12	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,296.60	1/2	1,419.65	1/2	1,542.68	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,299.17	3/4	1,422.21	3/4	1,545.25	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	1,301.73	7	1,424.78	7	1,547.81	7		7		7		7		7		7		7	
1/4	1,304.29	1/4	1,427.34	1/4	1,550.36	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,306.86	1/2	1,429.90	1/2	1,552.92	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,309.42	3/4	1,432.47	3/4	1,555.47	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	1,311.98	8	1,435.03	8	1,558.02	8		8		8		8		8		8		8	
1/4	1,314.55	1/4	1,437.60	1/4	1,560.52	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,317.11	1/2	1,440.16	1/2	1,563.01	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,319.67	3/4	1,442.72	3/4	1,565.50	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	1,322.24	9	1,445.29	9	1,567.99	9		9		9		9		9		9		9	
1/4	1,324.80	1/4	1,447.85	1/4	1,570.22	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,327.36	1/2	1,450.41	1/2	1,572.46	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,329.93	3/4	1,452.98	3/4	1,574.69	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,332.49	10	1,455.54	10	1,576.92	10		10		10		10		10		10		10	
1/4	1,335.06	1/4	1,458.10	1/4	1,578.74	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,337.62	1/2	1,460.67	1/2	1,580.55	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,340.18	3/4	1,463.23	3/4	1,582.37	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,342.75	11	1,465.79	11	1,584.18	11		11		11		11		11		11		11	
1/4	1,345.31	1/4	1,468.36	1/4	1,585.57	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,347.87	1/2	1,470.92	1/2	1,586.96	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,350.44	3/4	1,473.48	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.



SAYBOLT
Gulf Coast Headquarters
208 W. San Augustine
Deer Park, Texas 77536

BARGE "BUFFALO 90"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-05 3/8"

W	10 FT.	W	11 FT.	W	12 FT.	W	13 FT.	W	14 FT.	W	15 FT.	W	16 FT.	W	17 FT.	W	18 FT.	W	19 FT.
0	1,216.82	0	1,339.38	0	1,461.93	0		0		0		0		0		0		0	
1/4	1,219.37	1/4	1,341.93	1/4	1,464.49	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,221.92	1/2	1,344.48	1/2	1,467.04	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,224.48	3/4	1,347.04	3/4	1,469.59	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1,227.03	1	1,349.59	1	1,472.16	1		1		1		1		1		1		1	
1/4	1,229.58	1/4	1,352.14	1/4	1,474.70	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,232.14	1/2	1,354.70	1/2	1,477.25	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,234.69	3/4	1,357.25	3/4	1,479.81	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	1,237.24	2	1,359.80	2	1,482.36	2		2		2		2		2		2		2	
1/4	1,239.80	1/4	1,362.36	1/4	1,484.91	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,242.35	1/2	1,364.91	1/2	1,487.47	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,244.90	3/4	1,367.46	3/4	1,490.02	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	1,247.46	3	1,370.02	3	1,492.57	3		3		3		3		3		3		3	
1/4	1,250.01	1/4	1,372.57	1/4	1,495.13	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,252.56	1/2	1,375.12	1/2	1,497.68	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,255.12	3/4	1,377.68	3/4	1,500.23	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	1,257.67	4	1,380.23	4	1,502.79	4		4		4		4		4		4		4	
1/4	1,260.22	1/4	1,382.78	1/4	1,505.34	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,262.78	1/2	1,385.34	1/2	1,507.89	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,265.33	3/4	1,387.89	3/4	1,510.45	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	1,267.88	5	1,390.44	5	1,513.00	5		5		5		5		5		5		5	
1/4	1,270.44	1/4	1,393.00	1/4	1,515.55	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,272.99	1/2	1,395.55	1/2	1,518.10	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,275.54	3/4	1,398.10	3/4	1,520.65	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	1,278.10	6	1,400.66	6	1,523.20	6		6		6		6		6		6		6	
1/4	1,280.65	1/4	1,403.21	1/4	1,525.75	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,283.20	1/2	1,405.76	1/2	1,528.29	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,285.76	3/4	1,408.32	3/4	1,530.84	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	1,288.31	7	1,410.87	7	1,533.39	7		7		7		7		7		7		7	
1/4	1,290.86	1/4	1,413.42	1/4	1,535.92	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,293.42	1/2	1,415.98	1/2	1,538.46	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,295.97	3/4	1,418.53	3/4	1,540.99	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	1,298.52	8	1,421.08	8	1,543.53	8		8		8		8		8		8		8	
1/4	1,301.08	1/4	1,423.64	1/4	1,545.90	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,303.63	1/2	1,426.19	1/2	1,548.28	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,306.18	3/4	1,428.74	3/4	1,550.66	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	1,308.74	9	1,431.30	9	1,553.04	9		9		9		9		9		9		9	
1/4	1,311.29	1/4	1,433.85	1/4	1,555.06	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,313.84	1/2	1,436.40	1/2	1,557.08	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,316.40	3/4	1,438.96	3/4	1,559.10	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,318.95	10	1,441.51	10	1,561.12	10		10		10		10		10		10		10	
1/4	1,321.50	1/4	1,444.06	1/4	1,562.72	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,324.06	1/2	1,446.61	1/2	1,564.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,326.61	3/4	1,449.17	3/4	1,565.91	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,329.16	11	1,451.72	11	1,567.51	11		11		11		11		11		11		11	
1/4	1,331.72	1/4	1,454.27	1/4	1,568.68	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,334.27	1/2	1,456.83	1/2	1,569.85	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,336.82	3/4	1,459.38	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.



SAYBOLT
Gulf Coast Headquarters
208 W. San Augustine
Deer Park, Texas 77536

BARGE "BUFFALO 90"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-05 3/4"

M	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.	N	15 FT.	N	16 FT.	N	17 FT.	N	18 FT.	N	19 FT.
0	1,218.91	0	1,340.86	0	1,462.80	0		0		0		0		0		0		0	
1/4	1,221.45	1/4	1,343.40	1/4	1,465.34	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,224.00	1/2	1,345.94	1/2	1,467.88	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,226.54	3/4	1,348.48	3/4	1,470.42	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1,229.08	1	1,351.02	1	1,472.96	1		1		1		1		1		1		1	
1/4	1,231.62	1/4	1,353.56	1/4	1,475.50	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,234.16	1/2	1,356.10	1/2	1,478.05	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,236.70	3/4	1,358.64	3/4	1,480.59	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	1,239.24	2	1,361.18	2	1,483.13	2		2		2		2		2		2		2	
1/4	1,241.78	1/4	1,363.72	1/4	1,485.67	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,244.32	1/2	1,366.26	1/2	1,488.21	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,246.86	3/4	1,368.80	3/4	1,490.75	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	1,249.40	3	1,371.34	3	1,493.29	3		3		3		3		3		3		3	
1/4	1,251.94	1/4	1,373.88	1/4	1,495.83	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,254.48	1/2	1,376.43	1/2	1,498.37	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,257.02	3/4	1,378.97	3/4	1,500.91	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	1,259.56	4	1,381.51	4	1,503.45	4		4		4		4		4		4		4	
1/4	1,262.10	1/4	1,384.05	1/4	1,505.99	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,264.64	1/2	1,386.59	1/2	1,508.53	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,267.18	3/4	1,389.13	3/4	1,511.07	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	1,269.72	5	1,391.67	5	1,513.61	5		5		5		5		5		5		5	
1/4	1,272.26	1/4	1,394.21	1/4	1,516.15	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,274.81	1/2	1,396.75	1/2	1,518.69	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,277.35	3/4	1,399.29	3/4	1,521.22	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	1,279.89	6	1,401.83	6	1,523.76	6		6		6		6		6		6		6	
1/4	1,282.43	1/4	1,404.37	1/4	1,526.30	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,284.97	1/2	1,406.91	1/2	1,528.83	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,287.51	3/4	1,409.45	3/4	1,531.37	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	1,290.05	7	1,411.99	7	1,533.91	7		7		7		7		7		7		7	
1/4	1,292.59	1/4	1,414.53	1/4	1,536.43	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,295.13	1/2	1,417.07	1/2	1,538.95	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,297.67	3/4	1,419.61	3/4	1,541.47	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	1,300.21	8	1,422.15	8	1,543.99	8		8		8		8		8		8		8	
1/4	1,302.75	1/4	1,424.69	1/4	1,546.36	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,305.29	1/2	1,427.24	1/2	1,548.72	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,307.83	3/4	1,429.78	3/4	1,551.09	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	1,310.37	9	1,432.32	9	1,553.45	9		9		9		9		9		9		9	
1/4	1,312.91	1/4	1,434.86	1/4	1,555.47	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,315.45	1/2	1,437.40	1/2	1,557.48	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,317.99	3/4	1,439.94	3/4	1,559.49	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	1,320.53	10	1,442.48	10	1,561.50	10		10		10		10		10		10		10	
1/4	1,323.07	1/4	1,445.02	1/4	1,563.09	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,325.62	1/2	1,447.56	1/2	1,564.67	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,328.16	3/4	1,450.10	3/4	1,566.26	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	1,330.70	11	1,452.64	11	1,567.85	11		11		11		11		11		11		11	
1/4	1,333.24	1/4	1,455.18	1/4	1,569.01	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,335.78	1/2	1,457.72	1/2	1,570.18	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,338.32	3/4	1,460.26	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

SAYBOLT INC.

